

Joint Poster Session
ISBRA/ESBRA und Deutscher Suchtkongress

Preclinical CNS

Sunday, September 4; 12.30 - 14.15

1_41

Discrete neuronal ensembles in the nucleus accumbens core mediate “incubation” of EtOH craving

Weiss F, Laque A, Repunte-Canonigo V, De Ness G, Wagner GE, Kerr TM, Watry D, Hope BT, Sanna PP, Suto N

1_42

Adolescent nicotine and alcohol exposure - effects on endogenous opioid peptides in rat brain

Granholm L, Segerström L, Nylander I

1_43

Voluntary ethanol consumption during adolescence Primes the brain reward system to be more responsive to nicotine during adulthood

G.A. Deehan Jr., A.L. Bracken, C.P. Knight, R.A. Waeiss, W.J. McBride, R.L. Bell, S. R. Hauser, Z.A. Rodd

1_44

Determining the neurochemical basis of ethanol reward and anxiolysis in the central amygdala

Christopher P. Knight, Gerald A. Deehan Jr., R. Aaron Waeiss, Sheketha R. Hauser, William J McBride, Zachary A Rodd

1_45

Gaba interneurons within the basolateral amygdala are activated by presentation of a excitatory conditioned cue

S.R. Hauser, G.A. Deehan Jr., C.P. Knight, R.A. Waeiss, W.J. McBride, William A, Truitt, Z.A. Rodd

1_46

Operant self-adminstration of red bull® and alcohol: a question of alcohol content

López-Moreno JA, Roldán M, Echeverry-Alzate V, Giné E, Calleja-Conde J, Rodríguez de Fonseca F, Bühler KM

1_47

Longtime effects of ethanol and its metabolite acetaldehyde on BK channel activity in GH3 cells

A. G. Handlechner, A. Hermann, R. Fuchs, T. M. Weiger

1_48

Metabolic Shift of the Kynurenone Pathway Impairs Drug Seeking and Relapse

Valentina Vengeliene, Nazzareno Cannella, Tatiane Takahashi, Martin Rossmanith, Rainer Spanagel

1_49

Characterization and modulation of neuronal ensembles involved in reward learning

Martin Roßmanith, Valentina Vengeliene, Anita Hansson, Rainer Spanagel

1_50

Voluntary physical exercise can block ethanol-induced conditioned place preference in mice: the role of transcriptional factor creb and deacetylase isozymes SIRT-1 and SIRT-2 in specific brain tissues

Contó, MB, D' Almeida, V, Camarini, R

1_51

Identification of an inhibitory alcohol binding site in GABAA RHO1

J. R. Trudell; C. M. Borghese; C. I. Ruiz; U. S. Lee; M. A. Cullins; E. J. Bertaccini; R. A. Harris

1_52

Gut-brain axis: involvement of gastrointestinal hormones in alcohol use disorder

Vallöf D, Engel JA, Jerlhag E

1_53

GABAB receptor regulation of glutamate release, spatial learning, and alcohol drinking in the prefrontal cortex of adolescent and adult C57Bl/6J mice

Roberto I. Melendez and Lemuel M. Melecio

1_54

Gender differences in the inflammatory cytokine and chemokine profiles induced by binge ethanol drinking in adolescence

Montesinos J, Pascual M, Marcos M, García-García F, Torres JL, Costa-Alba P, Laso FJ, Guerri C

1_55

SIAH1 mediates ethanol-induced apoptosis in neural crest cells by CBP/p300-mediated acetylation of P53

Yuan FQ, Liu J, and Chen S-Y

1_56

P2X7 receptor antagonism inhibits inflammatory response in brain induced by exposure to combined ethanol and high-fat diet

Asatryan L, Freire D, Lazaro RG, Tsukamoto H and Davies DL

1_57

Ethanol-produced biochemical and morphological changes in the rat brain are antagonized by thyrotropin-releasing hormone and its synthetic pentapeptide analog

Pronko PS, Satanovskaya VI, Khomich TI, Zimatkin SM, Kandyba NI, Golubovich VP, Martinovich VP, Polikarpova VI

Clinical CNS – Treatment – Translation – Neuroimaging

Sunday, September 4; 12.30 - 14.15

2_41

Neurocognition and inhibitory control in polysubstance users: comparison with alcohol-only users and changes with abstinence

Schmidt TP, Pennington DL, Cardoso SL, Durazzo TC, Meyerhoff DJ

2_42

Cytokine level changes following acute ethanol intoxication in healthy men: a cross-over study

Neupane SP, Skulberg A, Skulberg KR, Salvatore S, Aass HC and Bramness JG

2_43

The behavioral exploration of attentional alterations in binge drinking

Lannoy S, Heeren A, Billieux J, Maurage P

2_44

Do appetitive gut hormones attenuate eating and addictive behaviours in alcohol and nicotine dependence: the gut hormones in addiction study?

Goldstone AP, Nestor LJ, Pannekoek JN, Ling YY, Akavarapu S, Kobson B, Munafo M, Lingford-Hughes AR, Nutt DJ

2_45

Binge drinking and functional brain connectivity: a resting-state fMRI study

Sousa S, Sampaio A, Marques P & Crego A

2_46

Neural Activity in Reward and Control Regions During Intertemporal Monetary Choices is Associated with Alcohol Use and Sexual Risk

Gardiner CK, Thayer RE, Sabbineni A, Karoly HC, Gillman AS, Claus EW, Hutchison KE, Bryan AD

2_47

Transcutaneous electrical acupoint stimulation combined with diazepam: a better choice in treatment of acute alcohol withdrawal symptoms

Chen X, Yang JP, Yuan W, Song Y

2_48

Baclofen in the treatment of alcohol withdrawal: a safe alternative to benzodiazepines?

Preliminary results

Jegham S, Crunelle CL, Vanderbruggen N, Matthys F

2_49

Verbal memory difficulties associated to binge drinking trajectory in college students: 6 years follow-up

Carbia, C; Cadaveira, F; Caamaño-Isorna, F; Piñeiro, M; Corral, M

2_50

Hazardous alcohol consumption after methadone initiation in patients switching from Buprenorphine treatment vs. Methadone incident users: implications for clinical management

Marie Costa, Sandra Nordmann, Antoine Vilotitch, Laurent Michel, Marion Moral, Bruno Spire, Gwenaelle Maradan, Alain Morel, Perrine Roux, Marc Tanti, M.Patrizia Carrieri, and the ANRS Methaville study group

2_51

Significant reductions in alcohol use after hepatitis c treatment: results from the french ANRS CO13-HEPAVIH cohort

Rod Knight, Perrine Roux, Antoine Vilotitch, Fabienne Marcellin, Eric Rosenthal, Laure Esterle, Stéphanie Dominguez, Philippe Sogni, Dominique Salmon-Ceron, Bruno Spire, Patrizia Carrieri for the ANRS-CO13-HEPAVIH Study Group

2_52

Very integrated program (VIP): health promotion for alcohol and drug addicted patients, a randomized controlled trial

Hovhannisyan K, Skagert E, Tønnesen H, Adami J

2_53

Area of corpus callosum and homocysteine levels in alcoholic patients

Romero-Acevedo L, Quintero-Platt G, Monereo-Muñoz M, González-Arnay E, Martín-González C, Pérez-Hernández O, Muñiz-Montes JR, González-Reimers E

2_54

Brain atrophy among alcoholics

Martín-González C, Romero-Acevedo L, Quintero-Platt G, Fernández-Rodríguez C, Pérez-Hernández O, Santolaria-Fernández F, Hernández-Luis R, González-Reimers E

2_55

Physician training and monitoring plan to ensure fidelity of a brief intervention clinical trial

Burina EA, Balachova T, Bonner B, Chaffin M, Grandilevskaya IV, Isurina GL, Shapkaitz VA, Tsvetkova LA, Volkova EN

2_56

Finding the optimal treatment model: a systematic review of interventions for treating co-occurring alcohol misuse and depression

Hobden B, Bryant J, Sanson-Fisher R, Baker A, Mattick R, Shakeshaft A, Farrell M

2_57

The executive function of heavy alcohol users: the effect of alcohol-related cues

Li X, Zeng N, Li W

Genetics - Diagnosis – FASD

Sunday, September 4; 12.30 - 14.15

3_26

Additional diagnostic markers of alcohol addiction based on complex estimation of addictive status (comorbid addictions)

Vyglazova OV, Linskiy IV

3_27

Phosphatidylethanol in assessing alcohol use among injured patients in an emergency department

Kabashi S, Wilson T, Vindenes V, Bogstrand ST

3_28

Confirmation of Thyroxine Treatment for Fetal Alcohol Spectrum Disorders in a Vulnerable Breed

Tunc-Ozcan, E, Ferreira, AB, Redei, EE

3_29

Assays of GGT-DCT combination from maternal serum improves the detection of prenatal alcohol exposure

Niemelä O, Niemelä S, Ritvanen A, Gissler M, Bloigu A, Vääräsmäki M, Kajantie E; Werler MM, Surcel HM

3_30

Liver enzyme abnormalities in alcohol consumers: where do the safe limits of alcohol consumption stand?

Niemelä O, Niemelä MV, Bloigu R, Aalto M, Laatikainen T

3_31

RALDH2 variants with reduced activity genetically predispose the embryo to FASD

Shabtai Y, Liu S, Hicks GG and Fainsod A

3_32

Aberrant radial migration and its long-term consequences in a mouse model of FASD

Delatour LC, Yeh HH

3_33

Effectiveness of various alcohol screening instruments for detecting alcohol use disorder in the Japanese primary care setting

Hisashi Yoshimoto, Ayumi Takayashiki

Epidemiology Sunday/Monday

Sunday, September 4; 12.30 - 14.15

4_22

Consequences of binge drinking in college students: 9 year follow-up of the compostela cohort

Moure-Rodríguez L, Doallo S, Carbia C, Corral M, Rodriguez Holguin S, Cadaveira F, Caamaño- Isorna F

4_23

Explanatory factors of the two major patterns of alcohol consumption in college students: 9 years follow-up of the compostela cohort

Moure-Rodríguez L, Doallo S, Carbia C, Corral M, Rodriguez Holguin S, Cadaveira F, Caamaño- Isorna F

4_24

Alcohol use during undergraduate years: characterization of profiles

Gómez P, Moure Rodriguez L, Corral M, Carbia C, Cadaveira F, Caamano Isorna F

4_25

Binge drinking associated with a higher risk to alcohol problems among brazilian college students: a web-based study

Bedendo, A; Andrade, A L M; Souza-Formigoni, M L O; Noto, A R

4_26

Self-rating effects of alcohol (SRE) and its correlates in korean medical students

Lee BR, Kim SK, Schuckit MA, Stadlin A

4_27

Correlates of binge drinking in alcohol dependent patients – a pilot study from a tertiary centre in South India

Soundararajan S, Purushottam M, Murthy P

4_28

Changes for first-time drink driving offenders in Geneva (Switzerland) over a 10-year period

Joris Lambert S, Favrat B, Michiels W, Vaucher P, Gache P

4_29

Estimation of the need for community rehabilitation facilities for the rehabilitation of alcoholics in Japan

Minobe R, Osaki Y, Higuchi S

4_30

The persons suffering from alcohol use disorder represented low Sense of Coherence

-A multi-center study in Japan-

Cho T, Tanaka M, Kobayashi O, Iba A, Sakuma H, Hashimoto N, Tanaka D, Muto T, Fukuda T, Noda T, Tsujimura S, Hayasaka T, Itabashi T, Yumoto Y, Sunami T, Nakano H, Bessho K, Nakamura M, Mizuno K, Shinjo K, Takahashi N, Kuno K, Egami T, Hamamoto T, Morikawa M

4_31

Alcohol use and other correlates of electronic-joint use and knowledge

Frohe T; Leeman RF; Sartor C; Ecker A; Kraus S; Foster DW

4_32

HIV risk patterns among russian women at-risk for alcohol-exposed pregnancies

Balachova T, Shaboltas A, Bohora S, Bonner B, Burina E, Chaffin M, Isurina G, Nasledov A, Skitnevskaya L, Tsvetkova L, Volkova E

4_33

A meta-analysis of acute alcohol use and the risk of suicide attempt

Borges G, Bagge C, Cherpitel CJ, Conner K, Orozco R, Rossow I

4_34

Heavy drinking trajectories among thai alcohol-dependent patients: a 1-year follow-up

Srikosai S, Thitidilokrat, Booncharoen H, Chainoy D, Wittayanookulluk A, Rungsiwaroj N, Srithammachart L, Wonghongkul T

4_35

Profiling of alcohol addicted persons in crete: 10 years of experience of the alcohol outpatient clinic of Heraklion

Grinakis E, Koulentaki M, Sfakianaki K, Liodaki N, Mouzas J

4_36

Is gender and age of onset of excessive drinking of importance in understanding mental health and personality in individuals with alcohol use disorder

Schückher F, Björk T, Berglund K, Berggren U, Balldin J, Engström I, Fahlke C

4_37

Heavy and extreme binge drinking in a clinical sample of adolescents with alcohol problems

Martin C, Creswell K, Jackson K, Skrzynski C, Bachrach R, Chung T, Clark D

4_38

Hospitalization for Alcohol Dependence, a Review of 100 Admissions

McDonough, M; Sung-Lin Yang, S

4_39

Associations between alcohol abuse and health consciousness in Japan: results from an internet survey

Itoh H, Matsushita S, Imanari T, Takeshima T, Higuchi S

4_40

Trends and projections of regular drinking: analysis of the thai national health

Polathep Vichitkunakorn, Surichai Bilheem, Sawitri Assanangkornchai

4_41

The suicide-related problems and their life histories among the alcohol-dependent inpatients with psychiatric comorbidities in Japan

Tanaka M, Tomohiro Shirasaka T, Cho T, Fukuda T, Kubo-Tamayose N, Noda T, Nakano W

4_42

The incidence of drinking among young people and its behavioral effects – findings from a nationwide survey in Japan

Yumoto Y, OSAKI Y, Matsushita S, Higuchi S

4_43

Alcohol problems in Indonesia: a developing country

Siste K

4_44

Well-being, Mental Health Problems, and Alcohol Experiences among Young Swedish Adolescents: a General Population Study

Boson K, Berglund K, Wennberg P and Fahlke C

4_45

Co-occurring depression and alcohol misuse is under-identified in general practice: a cross-sectional study

Hobden B, Bryant J, Sanson-Fisher R, Oldmeadow C, Carey M

4_46

Are alcohol use disorders associated with internet use disorder? – Data from the general adult population and clinical samples in Japan

Mihara S, Nakayama H, Maezono M, Koshino H, Kitayuguchi T, Hashimoto T, Osaki Y, Higuchi S

4_47

Differences on alcohol expectations and consumption in teenagers from a multicultural population

Díaz Geada A, Busto Miramontes A, Caamano Isorna F

4_48

Changes in alcohol and cannabis use among Thai population over 10 years: Is there an association?

Kanittha Thaikla, Sawitri Assanangkornchai

4_49

Alcohol drinking patterns and cardiovascular disease - is there a socioeconomic gradient for benefit or harm?

Degerud EM, Ystrøm E, Ariensen I, Graff-Iversen S, Tambs K, Knudsen GP, Normann PT, Høiseth G, Davey-Smith G, Zuccolo L, Tell GS, Mørland J, Næss Ø

4_50

Factors affecting the decision to use condoms among at-risk women in Russia

Diakonova-Curtis D, Balachova T, Shaboltas A, Bonner B, Chaffin M, Batluk J

4_51

Self-reports about physical abuse victimization among women who drink at risk in the Nizhny Novgorod Region in Russia

Skitnevskaya L.V., Volkova I.V., Volkova E.N., Balachova T.N.

4_52

Estimation of the number of alcohol-related death in Japan

Matsumoto H, Nakama K, Yoshizawa H, Ishida T, Sugimoto K, Katada R

4_53

Alcohol consumption confers a four-fold risk of homicide victimization in Swedish females

Hedlund J, Forsman J, Sturup J, Masterman T